

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Roofing Systems

COMPANY
R14751
Amrize Building Envelope LLC

26 Century Blvd., Ste. 205

Nashville, TN 37214-4601 United States

OTHER SYSTEMS

Unless otherwise indicated, minimum 3/4-in. thick wood sheathing boards may be substituted for 15/32-in. (minimum) thick plywood specified in any Certification.

The following table lists the Elevate trade name that is equivalent to the GenFlex and Exceptional Metals trade names. These alternate tradenames are acceptable in any applicable Classification below.

Trade Names		
Elevate	GenFlex	Exceptional Metals
"UC-1"	-	-
"UC-2"	-	-
"Elevate UNA-CLAD UC-3"	"GenFlex UC-3"	"DefendEX-SS1500"
"Elevate UNA-CLAD UC-4"	"GenFlex UC-4"	"DefendEX-SL1500"
"Elevate UNA-CLAD UC-7"	-	"DefendEX CapSeam 1000"
"UC-8"	-	-
"Elevate UNA-CLAD UC-500"	"GenFlex UNA-CLAD UC-500"	"DefendEX SPI000"
"Elevate UNA-CLAD UC-501"	"GenFlex UNA-CLAD UC-501"	"DefendEX SPI000R"
"Elevate UNA-CLAD UC-600"	"GenFlex UNA-CLAD UC-600"	"DefendEX Corrugated 40"
"Elevate UNA-CLAD UC-601"	"GenFlex UNA-CLAD UC-601"	"DefendEX Corrugated 42"
"Elevate UNA-CLAD UC-700"	-	-

"Elevate UNA-CLAD UC-750"	"GenFlex UNA-CLAD UC-750"	"DefendEX SPI000V"
"Elevate UNA-CLAD UR Classic Omega"	"GenFlex UNA-CLAD UR Classic Omega"	"DefendEX EFPUR"
"Elevate UNA-CLAD HR Classic Omega"	"GenFlex UNA-CLAD UR Classic Omega"	"DefendEX EFPHR"
"Elevate UNA-CLAD VR Classic Omega"	GenFlex UNA-CLAD VR Classic Omega"	"DefendEX EFPVR"
"NB1"	-	-
"NB2"	-	-
"Elevate UNA-CLAD UC-6"	"GenFlex UC-6"	"DefendEX-SS2000"
"Elevate UNA-CLAD UC-6 HD"	"GenFlex UC-6 HD"	"DefendEX-SS2000 HD"
"Elevate UNA-CLAD 5V Crimp"	"GenFlex UNA-CLAD 5V Crimp"	"DefendEX 5V Crimp"
"Elevate UNA-CLAD UC-14"	"GenFlex UC-14"	"DefendEX-SLI750"
"Elevate UNA-CLAD UC-6NT"	-	"DefendEX SS2000 NT"

Class A

1. Deck: C-15/32

Incline: Unlimited

Impact: 4

Insulation (Optional): — Any thickness Elevate "ISO 95+GL", RESISTA, ISOGARD HD, ISOGARD, HD Composite

Barrier Board: — G-P Products "DensDeck®", 1/4 in. thick min, or 1/2 in. thick min UL Classified gypsum board with joints in barrier board offset 6 in. with joints in deck, or minimum one layer GAF Materials Corp. "VersaShield Solo Fire Resistant Slipsheet" CLAD-GARD SA-FR Underlayment

Ply Sheet (Optional): — One or more layers CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel, copper, zinc or aluminum.

1A. Deck: C-15/32

Incline: Unlimited

Impact: 4

Barrier Board: — G-P Products "DensDeck®", 1/4 in. thick min, or 1/2 in. thick min UL Classified gypsum board with joints in barrier board offset 6 in. with joints in deck, or minimum one layer GAF Materials Corp. "VersaShield Solo Fire Resistant Slipsheet" or minimum one layer of CLAD-GARD SA-FR Underlayment.

Insulation (Optional): — Any thickness Elevate "ISO 95+ GL" RESISTA, ISOGARD HD, ISOGARD HD Composite or "HailGard"

Ply Sheet (Optional): — CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel, copper, zinc or aluminum.

1B. **Deck:** C-15/32

Incline: Unlimited

Impact: 4

Barrier Board: — G-P Products "DensDeck®", 1/4 in. thick min, or 1/2 in. thick min UL Classified gypsum board with joints in barrier board offset 6 in. with joints in deck, or minimum one layer GAF Materials Corp "VersaShield Underlayment" or minimum one layer of CLAD-GARD SA-FR Underlayment.

Insulation (Optional): — Any thickness Elevate "ISO 95+ GL", RESISTA, ISOGARD HD, ISOGARD HD Composite or "HailGard",

Ply Sheet (Optional): — CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel, copper.

2. **Deck:** C-15/32 or spaced sheathing

Incline: Unlimited

Impact: 4

Underlayment: — CLAD-GARD SA-FR Underlayment.

Insulation (Optional): — Any thickness Elevate "ISO 95+ GL", RESISTA, "ISOGARD HD", ISOGARD HD Composite or "HailGard"

Ply Sheet (Optional): — CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel or copper.

3. **Deck:** C-15/32

Incline: Unlimited

Impact: 4

Underlayment: — CLAD-GARD SA-FR Underlayment.

Insulation (Optional): — Any thickness Elevate "ISO 95+ GL", RESISTA, "ISOGARD HD", ISOGARD HD Composite or "HailGard"

Ply Sheet (Optional): — CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" aluminum.

4. **Deck:** C-15/32 or Spaced Sheathing

Incline: Unlimited

Impact: 4

Underlayment: — CLAD-GARD SA-FR Underlayment.

Insulation (Optional): — Any thickness Elevate "ISO 95+ GL", RESISTA, "ISOGARD HD", ISOGARD HD Composite or "HailGard"

Ply Sheet (Optional): — CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel or copper.

5. **Deck:** C-15/32 or Spaced Sheathing

Incline: Unlimited

Underlayment: — CLAD-GARD SA-FR Underlayment.

Insulation (Optional): — Any thickness Elevate "ISO 95+ GL", RESISTA, "ISOGARD HD", ISOGARD HD Composite or "HailGard"

Ply Sheet (Optional): — CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel, fastened to 2x2 wood battens.

6. **Deck:** C-5/8 or Spaced Sheathing

Incline: Unlimited

Impact: 4

Underlayment: — CLAD-GARD SA-FR Underlayment.

Insulation (Optional): — Any thickness Elevate "ISO 95+ GL", RESISTA, "ISOGARD HD", ISOGARD HD Composite or "HailGard"

Ply Sheet (Optional): — CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment.

Ply Sheet: — One layer Type 30 base sheet or "VersaShield", mechanically fastened.

Surfacing: — "Elevate UNA-CLAD 5V Crimp".

7. **Deck:** C-15/32

Incline: Unlimited

Impact: 4

Insulation (Optional): — Elevate "ISO 95+ GL (any thickness), RESISTA

Insulation: — min. 1/2 in. "ISOGARD HD" OR ISOGARD HD Composite

Ply Sheet: — CLAD-GARD SA-FR Underlayment.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel or copper.

8. **Deck:** C-15/32

Incline: Unlimited

Impact: 4

Insulation (Optional): — Elevate "ISO 95+GL" or RESISTA

Barrier Board: — G-P Products "DensDeck®", 1/4 in. thick min, or 1/2 in. thick min UL Classified gypsum board with joints in barrier board offset 6 in. with joints in deck, or minimum one layer CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment".

Ply Sheet (Optional) — CLAD-GARD SA-N, CLAD-GARD SA-S, CLAD-GARD R, CLAD-GARD MA (not UL Classified) or CLAD-GARD SA-FR Underlayment".

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel, copper or aluminum.

9. **Deck:** C-15/32 or spaced sheathing

Incline: Unlimited

Impact: 4

Insulation (Optional): — Elevate "ISO 95+GL", "ISOGARD HD", RESISTA or "HailGard"

Underlayment: — CLAD-GARD SA-FR Underlayment

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel or copper.

10. **Deck:** C-15/32

Incline: Unlimited

Impact: 4

Insulation (Optional): — Elevate "ISO 95+GL", "ISOGARD HD", RESISTA, ISOGARD HD Composite or "HailGard"

Underlayment: — CLAD-GARD SA-FR Underlayment

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" aluminum.

11. **Deck:** C-15/32 or Spaced Sheathing

Incline: Unlimited

Impact: 4

Insulation (Optional): — Any thickness Elevate "ISO 95+GL", "ISOGARD HD", RESISTA, ISOGARD HD Composite or "HailGard"

Underlayment: — CLAD-GARD SA-FR Underlayment

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel or copper.

12. **Deck:** C-15/32 or Spaced Sheathing

Incline: Unlimited

Impact: 4

Insulation (Optional): — Elevate "ISO 95+GL", "ISOGARD HD", RESISTA, ISOGARD HD Composite or "HailGard"

Underlayment: — CLAD-GARD SA-FR Underlayment

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel, fastened to 2x2 wood battens.

13. **Deck:** C-5/8 or Spaced Sheathing

Incline: Unlimited

Impact: 4

Insulation (Optional): — Elevate "ISO 95+GL", "ISOGARD HD", RESISTA, ISOGARD HD Composite or "HailGard"

Underlayment: — One layer GAF Materials Corp "VersaShield Underlayment", mechanically fastened.

Ply Sheet: — One layer Type 30 base sheet or "VersaShield Underlayment", mechanically fastened.

Surfacing: — "Elevate UNA-CLAD 5V Crimp".

14. **Deleted.**

15. **Deck:** NC

Incline: Unlimited

Impact: 4

Insulation (Optional): — Any thickness Elevate "ISO 95+GL", Resista, Elevate HailGard, Any UL Classified insulation any thickness.

Cover Board (Optional): — Elevate ISO GARD HD, G-P Products "DensDeck®", 1/4 in. thick min, 7/16 inch OSB, 1/2 in. high density wood fiber board or 15/32 in. plywood.

Ply Sheet (Optional): — Elevate Clad Gard SA-N, Clad-Gard SA-S, Clad Gard R or Clad-Gard MA (not UL Classified). CLAD-GARD SA-FR Underlayment

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-6NT", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", 5V, Crimp, "NB1", "NB2" steel, copper or aluminum.

Class B

1. **Deck:** C-15/32

Incline: Unlimited

Impact: 4

Underlayment: — One layer GAF Materials Corp "VersaShield Underlayment", mechanically fastened.

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel, copper or aluminum.

2. **Deck:** Spaced Sheathing

Incline: Unlimited

Impact: 4

Underlayment: — One layer GAF Materials Corp "VersaShield Underlayment".

Surfacing: — "UC-1", "UC-2", "Elevate UNA-CLAD UC-3", "Elevate UNA-CLAD UC-4", "Elevate UNA-CLAD UC-6", "Elevate UNA-CLAD UC-6 HD", "Elevate UNA-CLAD UC-7", "Elevate UNA-CLAD UC-14", "Elevate UNA-CLAD UC-600", "Elevate UNA-CLAD UC-601", "Elevate UNA-CLAD UC-700", "Elevate UNA-CLAD UC-750", "Elevate UNA-CLAD UC-500", "Elevate UNA-CLAD UC-501", "Elevate UNA-CLAD UR Classic Omega", "Elevate UNA-CLAD HR Classic Omega", "Elevate UNA-CLAD VR Classic Omega", "Elevate UNA-CLAD 5V Crimp", "NB1", "NB2" steel or copper.

Last Updated on 2026-05-20

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."